



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Wednesday, February 19, 2025** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/DWTU/Listings.asp?Standard=401&Company=32730&>

Note: Certain claims, such as Arsenic (Pentavalent) Reduction, appear as active links, allowing you to access additional information regarding the specific contaminants.

NSF/ANSI 401 Drinking Water Treatment Units - Emerging Compounds/Incidental Contaminants

Multipure / Multipure Drinking Water Systems

(<http://www.multipureco.com>)

Las Vegas Technology Center

7251 Cathedral Rock Drive

Las Vegas, NV 89128

United States

[800-622-9206](tel:800-622-9206)

[702-360-8880](tel:702-360-8880)

Visit this company's website (<http://www.multipureco.com>)

Facility : # 1 USA

Brand Name / Trade Name / Model	Replacement Element	Service Cycle (gallons)	Flow Rate (gpm)	Claim
Counter-Top Connected to Sink Faucet[Pb]				
Aquadome	CB6AD	750	.75	Atenolol Reduction Bisphenol A Reduction Carbamazepine Reduction DEET Reduction Estrone Reduction Ibuprofen Reduction Linuron Reduction Meprobamate Reduction Metolachlor Reduction Naproxen Reduction Nonylphenol Reduction

Phenytoin Reduction
TCEP Reduction
TCPP Reduction
Trimethoprim Reduction

[Pb] Product also evaluated and determined to possess weighted average lead content of <=0.25% and complies with lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Plumbed-In to Separate Tap [Pb]

AQUALUXE	CBLX	500(1)	.75	Atenolol Reduction Bisphenol A Reduction Carbamazepine Reduction DEET Reduction Estrone Reduction Ibuprofen Reduction Linuron Reduction Meprobamate Reduction Metolachlor Reduction Naproxen Reduction Nonylphenol Reduction Phenytoin Reduction TCEP Reduction TCPP Reduction Trimethoprim Reduction Microplastics Reduction
Aqualite	CB5	450	.5	Atenolol Reduction Bisphenol A Reduction Carbamazepine Reduction DEET Reduction Estrone Reduction Ibuprofen Reduction Linuron Reduction Meprobamate Reduction Metolachlor Reduction Microplastics Reduction Naproxen Reduction Nonylphenol Reduction Phenytoin Reduction Trimethoprim Reduction TCEP Reduction TCPP Reduction
Aquamini[2]	CBMINI	250	.5	Atenolol Reduction Bisphenol A Reduction Carbamazepine Reduction DEET Reduction Estrone Reduction Ibuprofen Reduction

Linuron Reduction
Meprobamate Reduction
Metolachlor Reduction
Naproxen Reduction
Nonylphenol Reduction
Phenytoin Reduction
TCEP Reduction
TCPP Reduction
Trimethoprim Reduction
Microplastics Reduction

Aquaperform	CB11As	600	1	Atenolol Reduction Bisphenol A Reduction Carbamazepine Reduction DEET Reduction Estrone Reduction Ibuprofen Reduction Linuron Reduction Meprobamate Reduction Metolachlor Reduction Naproxen Reduction Nonylphenol Reduction TCEP Reduction TCPP Reduction Trimethoprim Reduction Microplastics Reduction Phenytoin Reduction
Aquaversa	CB6	750	.75	Atenolol Reduction Bisphenol A Reduction Carbamazepine Reduction DEET Reduction Estrone Reduction Ibuprofen Reduction Linuron Reduction Meprobamate Reduction Metolachlor Reduction Naproxen Reduction Nonylphenol Reduction Phenytoin Reduction TCEP Reduction TCPP Reduction Trimethoprim Reduction Microplastics Reduction
CB-EXTRA	CBXT	340	.71	Atenolol Reduction Bisphenol A Reduction Carbamazepine Reduction DEET Reduction Estrone Reduction Ibuprofen Reduction Linuron Reduction Meprobamate Reduction Metolachlor Reduction

Microplastics Reduction
Naproxen Reduction
Nonylphenol Reduction
Phenytoin Reduction
Trimethoprim Reduction
TCEP Reduction
TCPP Reduction

- (1) Claims of capacity or rated service cycle are not applicable for mechanical filtration.
- [2] This system is also Certified under the following SKUS: AQBRITEBL, AQBRITEBLK, AQBRITEGR, AQBRITEPI, AQBRITEPR, AQBRITEWHT, AQBRITEEYE.
- [Pb] Product also evaluated and determined to possess weighted average lead content of $\leq 0.25\%$ and complies with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Number of matching Manufacturers is 1

Number of matching Products is 7

Processing time was 0 seconds