

The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Wednesday**, **February 19**, **2025** at 12:15 a.m. Eastern Time. Please <u>contact NSF</u> to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: http://info.nsf.org/Certified/DWTU/Listings.asp?Standard=053&Company=32730&

Note: Certain claims, such as Arsenic (Pentavalent) Reduction, appear as active links, allowing you to access additional information regarding the specific contaminants.

NSF/ANSI 53 Drinking Water Treatment Units - Health Effects

Multipure / Multipure Drinking Water Systems (http://www.multipureco.com)

Las Vegas Technology Center
7251 Cathedral Rock Drive
Las Vegas, NV 89128
United States
800-622-9206
702-360-8880

Visit this company's website (http://www.multipureco.com)

Facility: # 1 USA

Brand Name / Trade Name / Model	Replacement Element	Service Cycle (gallons)	Flow Rate (gpm)	Claim					
Counter-Top Connected to Sink Faucet [Pb]									
Aquadome	CB6AD	750(1)	<i>-</i> 75	Asbestos Reduction Chlordane Reduction Cyst Reduction Lead Reduction Mercury Reduction MTBE Reduction PCB Reduction Toxaphene Reduction Turbidity Reduction VOC Reduction **					

- (1) Claims of capacity or rated service cycle are not applicable for mechanical filtration.
- [Pb] Product also evaluated and determined to possess weighted average lead content of <=0.25% and complies with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Plumbed-In to Separate Tap

AQUALUXE[4] [Pb] CBLX 500(1) .75 Asbestos Reduction Chlordane Reduction

Cyst Reduction

				Lead Reduction MTBE Reduction Mercury Reduction PCB Reduction Toxaphene Reduction Turbidity Reduction VOC Reduction ** Arsenic (Pentavalent)<=50 ppb Reduction (http://www.nsf.org/newsroom_pdf/DW_2014_Arsenic_fact_she Microcystin Reduction PFOA Reduction
Aqualite[Pb]	CB5	450(1)	.5	PFOS Reduction Asbestos Reduction Chlordane Reduction Cyst Reduction Lead Reduction MTBE Reduction Mercury Reduction PCB Reduction Toxaphene Reduction Turbidity Reduction VOC Reduction **
Aquamini[2] [Pb]	CBMINI	250(1)	.5	Asbestos Reduction Chlordane Reduction Cyst Reduction Lead Reduction MTBE Reduction Mercury Reduction PCB Reduction Toxaphene Reduction Turbidity Reduction VOC Reduction **
Aquaperform[3] [4] [Pb]	CB11As	600(1)	1	Asbestos Reduction Chlordane Reduction Cyst Reduction Lead Reduction MTBE Reduction Mercury Reduction PCB Reduction Toxaphene Reduction Turbidity Reduction VOC Reduction ** Arsenic (Pentavalent) <= 50 ppb Reduction (http://www.nsf.org/newsroom_pdf/DW_2014_Arsenic_fact_she Microcystin Reduction PFOA Reduction PFOS Reduction
Aquaversa[3] [Pb]	CB6	750(1)	.75	Asbestos Reduction Chlordane Reduction Cyst Reduction Lead Reduction MTBE Reduction Mercury Reduction PCB Reduction Toxaphene Reduction Turbidity Reduction VOC Reduction **
CB-EXTRA[4] [Pb]	CBXT	340(1)	.71	Asbestos Reduction Chlordane Reduction Cyst Reduction

Lead Reduction
MTBE Reduction
Mercury Reduction
PCB Reduction
Toxaphene Reduction
Turbidity Reduction
VOC Reduction ***

Arsenic (Pentavalent)<=50 ppb Reduction

(http://www.nsf.org/newsroom_pdf/DW_2014_Arsenic_fact_she

Microcystin Reduction PFOA Reduction PFOS Reduction

- * This product is intended for use only on water supplies that have been shown to be at or below the referenced concentration and valency of arsenic.
- (1) Claims of capacity or rated service cycle are not applicable for mechanical filtration.
- [2] This system is also Certified under the following SKUS: AQBRITEBL, AQBRITEBLK, AQBRITEGR, AQBRITEPI, AQBRITEPI, AQBRITEWHT, AQBRITEEYE.
- [3] Suffix I = Unit has no hardware; appropriate for in line installation.
- [4] PFOA/PFOS reduction claim evaluated to the 2021 version of NSF/ANSI Standard 53.
- [Pb] Product also evaluated and determined to possess weighted average lead content of <=0.25% and complies with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

** The category of VOC (Volatile Organic Chemical) includes a number of chemicals that are both man-made and naturally occurring. Water from wells and utilities may contain some of these contaminants. Some VOCs are pesticides, herbicides, or insecticides that seep into the ground water after application. Other VOCs enter the water supply through industrial or other waste disposal. This category also includes total trihalomethanes, which are a by-product of chlorination.

A VOC reduction claim by the manufacturer means the system reduces the concentration of all of the following contaminants:

alachlor endrin simazine atrazine ethylbenzene stvrene ethylene dibromide (EDB) 1,1,2,2-tetrachloroethane benzene carbofuran haloacetonitriles tetrachloroethylene carbon tetrachloride bromochloroacetonitrile toluene chlorobenzene dibromoacetonitrile 2,4,5-TP(silvex) chloropicrin dichloroacetonitrile tribromoacetic acid trichloroacetonitrile 1,2,4-trichlorobenzene dibromochloropropane (DBCP) haloketones 1,1,1-trichloroethane o-dichlorobenzene 1,1-dichloro-2-propanone 1,1,2-trichloroethane p-dichlorobenzene 1,1,1-trichloro-2-propanone trichloroethylene 1,2-dichloroethane heptachlor trihalomethanes (TTHM) 1,1-dichloroethylene heptachlor epoxide bromodichloromethane cis-1,2-dichloroethylene hexachlorobutadiene bromoform trans-1,2-dichloroethylene hexachlorocyclopentadiene chlorodibromomethane 1,2-dichloropropane lindane chloroform cis-1,3-dichloropropylene methoxychlor xylenes dinoseb pentachlorophenol

Number of matching Manufacturers is 1 Number of matching Products is 7 Processing time was 1 seconds